

6.	The OPD/IPD case records are completed in respect of demographic data eg. Name, Age, Sex, Address, Contact No and with name of attending doctor and proper diagnosis of the case as per ICD criteria	Yes/ No
7.	Average No. of Patients registered in OPD (per day)	302
8.	Average No. of Patients registered in IPD (per day) ($P \times 100 / 365 \times \text{bed}$) (P = Total number of inpatient days (Total of daily inpatients on beds))	25

Visitor:

(1) _____ (2) _____ (3) _____

Date:

	department should be having a separate ultra-sound machine of its own)	understanding with super specialty hospital	with super specialty hospital	of understanding with super specialty hospital	
3.	Echocardiogram	01	01	01	01
4.	X-ray developing tank	Minimum 1	Minimum 1	Minimum 1	01
5.	Safe light X-ray darkroom	Minimum 1	Minimum 1	Minimum 1	Not required Digital x-ray
6.	Cassettes X-ray	Minimum 1	Minimum 1	Minimum 1	Digital x-ray
7.	Lead apron	Minimum 1	Minimum 1	Minimum 1	01
8.	Intensifying screen X-ray	Minimum 1	Minimum 1	Minimum 1	Digital x-ray
9.	Thyroid shield	Minimum 1	Minimum 1	Minimum 1	01
10.	TLD batches	One per person	One per person	One per person	Available
11.	Gonadal guard	Minimum 1	Minimum 1	Minimum 1	01
12.	X-ray lobby single	Minimum 1	Minimum 1	Minimum 1	01
1.22.	Hospital waste management system			Available/Not Available	Verified
				Available	
1.23.	Ambulance			Available	
1.24.	Lift			Not required	
1.25.	Ramp for patients with disability			Available	
1.26.	Wheel chairs & stretchers in the porch or visiting area			Available	
1.27.	Registers in hospital department and laboratory namely				
	Dead stock register			Available	
	Equipment or instruments register			Available	
	Indent register			Available	
	Chemicals or solutions register			Available	
	Breakage register			Available	
	Medicines store register			Available	
	Medicine dispensing register			Available	
	Attendance register			Available	

Verification by Visitation team:		
1.	The OPD/IPD registers	Available/Not Available
2.	Case records maintained manually in the records room	Yes/No
3.	IPD cases are randomly examined with their OPD referral registration number and lab registers	Yes/No
4.	Record of Casualty cases verified with central OPD registration number	Yes/No
5.	The OPD/IPD case records are completed in respect of totality of symptoms, diagnosis, reportorial totality, analysis and evaluation of case, diet advise with proper prescription and further follow up the case with all necessary blood/radiological investigations	Yes/No

Inspectors/Visitor

signature: (1) _____ (2) _____ (3) _____

46.	Vaginal Examination set	Minimum 1	Minimum 1	Minimum 1	01
47.	Vulsellum	Minimum 1	Minimum 1	Minimum 1	04
1.19.	See sub-clause 16. (b) of sub-regulation 16 of Schedule-II of regulation 5 and regulation Equipment requirements for Anaesthesia				
Sr. No.	Name of the Equipment	For 30 beds	31 to 50 beds	51 to 100 beds	Available
1.	Airway female & male	Adequate	Adequate	Adequate	Adequate - 7
2.	Anaesthesia Trolley /Boyle's Apparatus	Minimum 1	Minimum 1	Minimum 1	01
3.	Anesthetic- laryngoscope Magill's with Four blades	Minimum 2	Minimum 2	Minimum 2	02
4.	CO2 cylinder for laparoscope	Minimum 1	Minimum 1	Minimum 1	01
5.	Connector set of six for ETT	Minimum 1	Minimum 1	Minimum 1	01
6.	Defibrillator or Automated external defibrillator	Minimum 1	Minimum 1	Minimum 1	01
7.	Endotracheal tube sets	Minimum 1	Minimum 1	Minimum 1	01
8.	Magill's forceps (two sizes)	Minimum 1	Minimum 1	Minimum 1	08
9.	Mouthprop	Minimum 1	Minimum 1	Minimum 1	01
10.	Multi-parameter Monitor	Minimum 1	Minimum 1	Minimum 1	01
11.	N2O Cylinder for Boyles	Minimum 1	Minimum 1	Minimum 1	01
12.	O2 cylinder for Boyles	Minimum 1	Minimum 1	Minimum 1	01
13.	Tongue depressors	Adequate	Adequate	Adequate	Adequate
14.	Tubes connecting for ETT	Adequate	Adequate	Adequate	Adequate
1.20.	Rehabilitation unit including physiotherapy and yoga facilities-equipment or instruments for physiotherapy are specified below: -				
S. No	Instruments	Required		Available	
a.	Diathermy machine	01		01	
b.	Traction (cervical & lumbar)	01		01	
c.	Physiotherapy cycle	01		01	
d.	Ultrasound equipment	01		01	
e.	Interferential therapy machine	01		01	
f.	Transcutaneous Electrical nerve Stimulation	01		01	
g.	Treatment Table	01		01	
1.21.	Imaging Equipments				
Sr. No.	Name of the Equipment	For 30 beds	31 to 50 beds	51 to 100 bed	Available
1.	300 M.A. X-ray machine/ Digital X-Ray machine	01	01	01	01
2.	Ultra Sonogram (Obstetrics and gynaecology)	Optional or under Memorandum of	Optional or under Memorandum of understanding	Optional or under Memorandum	NA .

	Instrument Set Piles, Fistula, Fissure				03 set
14.	Instrument Trays of Various Sizes	Adequate	Adequate	Adequate	Adequate 25
15.	Instrument Trolley	As needed	As needed	As needed	Available 02
16.	IV stands	As needed	As needed	As needed	Available
17.	Kidney tray	As needed	As needed	As needed	Available
18.	Knife and scissor 1 each	As needed	As needed	As needed	Adequate
19.	L.P. Tray	Adequate	Adequate	Adequate	Adequate
20.	Magill's forceps (two sizes)	Adequate	Adequate	Adequate	Adequate
21.	Metallic or disposable insemination cannula	Adequate	Adequate	Adequate	Adequate
22.	Operation table Hydraulic Minor with stand	Minimum 1	Minimum 1	Minimum 1	01
23.	OT Spotlight (Shadow less ceiling fitted/stand mounted)	Minimum 1	Minimum 1	Minimum 1	01
24.	Oxygen Cylinder	Minimum 1	Minimum 1	Minimum 1	02
25.	Oxygen Mask with Circuit	Minimum 1	Minimum 1	Minimum 1	01
26.	Plastic aprons, gloves and mask	Adequate	Adequate	Adequate	Adequate
27.	Shadow less lamp ceiling type major or minor	1	1	2	01
28.	Shadow less Lamp Stand model	Minimum 1	Minimum 1	Minimum 1	02
29.	Sims speculum in small, medium and large size	Adequate	Adequate	Adequate	Adequate
30.	Sphygmomanometer	Minimum 1	Minimum 1	Minimum 1	02
31.	Sterile cotton	As needed	As needed	As needed	Adequate
32.	Sterile gloves	As needed	As needed	As needed	Adequate
33.	Sterilizer Small (Instruments)	As needed	As needed	As needed	05 Adequate
34.	Sterilizer big (Instrument)	As needed	As needed	As needed	01 adequate
35.	Sterilizer Medium (Instrument)	Minimum 1	Minimum 1	Minimum 1	02 adequate
36.	Stethoscope	Minimum 1	Minimum 1	Minimum 1	Adequate 02
37.	Suction Apparatus - Electrical	Minimum 1	Minimum 1	Minimum 1	02
38.	Suturing Set	Minimum 1	Minimum 1	Minimum 1	02
39.	Swab holders	Minimum 1	Minimum 1	Minimum 1	02
40.	Thermometer	Minimum 1	Minimum 1	Minimum 1	01
41.	Tongue depressors	Minimum 1	Minimum 1	Minimum 1	Adequate
42.	Toothed forceps	Minimum 1	Minimum 1	Minimum 1	01
43.	Two long (8 inch) and two short (6 inch) Artery forceps	Minimum 1	Minimum 1	Minimum 1	14
44.	Two Uterine sound	Minimum 1	Minimum 1	Minimum 1	09
45.	Urethral Dilator Set	Minimum 1	Minimum 1	Minimum 1	01 set

Inspectors/Visitor

signature: (1) _____

(2) _____

(3) _____

xiv.	Glucometer	1 Per Area/Ward	1 Per Area/Ward	1 Per Area/Ward	Available
xv.	Hematology Analyser or Cell Counter	Minimum 1	Minimum 1	Minimum 1	Available
xvi.	Haemoglobinometer	Minimum 1	Minimum 1	Minimum 1	Available
xvii.	HbA1c machine	Minimum 1	Minimum 1	Minimum 1	Available
xviii.	Hot air oven	As needed	As needed	As needed	Available
xix.	Hot plates	As needed	As needed	As needed	Available
xx.	Lab Incubator	As needed	As needed	As needed	Available
xxi.	Laboratory AutoClaves	As needed	As needed	As needed	Available
xxii.	Micro pipette of different volumes	As needed	As needed	As needed	Available
xxiii.	PH meter	As needed	As needed	As needed	Available
xxiv.	Refrigerator	Minimum 1	Minimum 1	Minimum 1	Available
xxv.	Rotor or Shaker	Minimum 1	Minimum 1	Minimum 1	Available
xxvi.	Simple balances	Minimum 1	Minimum 1	Minimum 1	Available
xxvii.	Spirit lamp	Minimum 1	Minimum 1	Minimum 1	Available
xxviii.	TCDC count apparatus	As needed	As needed	As needed	Available
xxix.	Testtube holders	As needed	As needed	As needed	Available
xxx.	Testtube rack	As needed	As needed	As needed	Available
xxxi.	Test tube stands	As needed	As needed	As needed	Available
xxxii.	Timer stopwatch	As needed	As needed	As needed	Available
xxxiii.	Urine analyser	Minimum 1	Minimum 1	Minimum 1	Available
xxxiv.	Water bath	As needed	As needed	As needed	Available

1.18. See sub-clause 16. (a) of sub-regulation 16 of Schedule-II of regulation 5 and regulation Operation theatre and labour room- equipment requirement for operation theatre is mentioned below in table.

Sr. No.	Name of the Equipment	For 30 bed	31 to 50 bed	51 to 100 bed	Available
1.	Anterior vaginal Wall retractor	Adequate	Adequate	Adequate	Adequate
2.	Artery forceps	Adequate	Adequate	Adequate	Adequate
3.	Auto Clave HP Vertical (2bin)	Minimum 1	Minimum 1	Minimum 1	01
4.	Autoclave equipment for sterilization/Sterilizer	Minimum 1	Minimum 1	Minimum 1	07
5.	Bladder sound (Urethral dilators) of different sizes	Minimum 1	Minimum 1	Minimum 1	05
6.	Cusco's Speculum	As needed	As needed	As needed	05
7.	Diathermy Machine (Electric Cautery)	As needed	As needed	As needed	01
8.	Disposable syringes (5-10cc)	As needed	As needed	As needed	Available
9.	Enema Pot	Minimum 1	Minimum 1	Minimum 1	05
10.	Focus lamp Ordinary	Minimum 1	Minimum 1	Minimum 1	02
11.	Foley's Catheter	As needed	As needed	As needed	Available
12.	Formaline dispenser	Minimum 1	Minimum 1	Minimum 1	Available 01
13.	General Surgical	Minimum 1	Minimum 1	Minimum 1	Available 01

Inspectors/Visitor
signature: (1) _____

(2) _____

(3) _____

13.	Inj. Deriphyllin	As per I.P	Minimum 10 Ampules	Available
14.	Inj. Phenytoin sodium	As per I.P	Minimum 10 Ampules	Available
15.	Inj. Avil	As per I.P	Minimum 10 Ampules	Available
16.	Inj. Ondansetron	As per I.P	Minimum 10 Ampules	Available
17.	Inj. KCl	As per I.P	Minimum 10 Ampules	Available
18.	Inj. Lignocaine 2%	As per I.P	Minimum 10 Ampules	Available
19.	Inj. Amiodarone	As per I.P	Minimum 10 Ampules	Available
20.	Inj. Magnesium sulphate	As per I.P	Minimum 10 Ampules	Available
21.	Inj. Mannitol	As per I.P	Minimum 10 Ampules	Available
22.	Inj. Morphine/Inj. Pethidine	As per I.P	Minimum 10 Ampules	Available
23.	Inj. Noradrenaline bitartrate	As per I.P	Minimum 10 Ampules	Available
24.	Inj. Fentanyl	As per I.P	Minimum 10 Ampules	Available
25.	Water for Injection	As per I.P	Minimum 10 Ampules	Available
26.	Inj. Sodium Valporate	As per I.P	Minimum 10 Ampules	Available
27.	Inj. Voveran	As per I.P	Minimum 10 Ampules	Available
28.	Inj. Paracetamol	As per I.P	Minimum 10 Ampules	Available
29.	Metoprolol Injection	As per I.P	Minimum 10 Ampules	Available
30.	N/2 saline Injection	As per I.P	Minimum 10 Ampules	Available
31.	Oxygen Inhalation	As per I.P	Minimum 10 Ampules	Available

1.17. Central laboratories: - the college shall have facility of scanning and sonography equipment in own hospital or under MoU with NABL accredited superspeciality Hospital

Sr. No	Name of the equipment	For 30 bed	31 to 50 bed	51 to 100 bed	Available
i.	Alarm clock	1 Per Area/Ward	1 Per Area/Ward	1 Per Area/Ward	Available
ii.	Automatic cell counter	Optional	Optional	Minimum 1	Not required
iii.	Auto analyzer or Semi auto analyzer	Optional	Optional	Optional	Available
iv.	Autoclave	Minimum 1	Minimum 1	Minimum 1	Available
v.	Binocular Microscope	Minimum 1	Minimum 1	Minimum 1	Available
vi.	Biochemistry analyser	Minimum 1	Minimum 1	Minimum 1	Available
vii.	Chemical Balances	Minimum 1	Minimum 1	Minimum 1	Available
viii.	Counting chamber	Minimum 1	Minimum 1	Minimum 1	Available
ix.	Electric Colorimeter	Minimum 1	Minimum 1	Minimum 1	Available
x.	Centrifuge Machine	Minimum 1	Minimum 1	Minimum 1	Available
xi.	Electrolyte analyser	Minimum 1	Minimum 1	Minimum 1	Available
xii.	ESR stand with tubes	Minimum 1	Minimum 1	Minimum 1	Available
xiii.	Flame photometer	Minimum 1	Minimum 1	Minimum 1	Available

Inspectors/Visitor
signature: (1) _____

(2) _____

(3) _____

B.		Local Anaesthesia		
1	Injection Bupivacaine Hydrochloride	0.25%,0.5%0.5% +7.5%Glucose	As per requirement	} Available As per Requirement
2	Spray Ethyl Chloride	1%	As per requirement	
3	Injection Lignocaine	Topical Forms 2-5%	As per requirement	
4	Injection Lignocaine	Hydrochloride 1-2% Spinal 5% + 7.5% Glucose	As per requirement	
5	Injection Lignocaine Hydrochloride + Adrenaline	1%, 2% +Adrenaline 1:200.000 In vial 1.3	As per requirement	
C.		Preoperative Medication and Sedation for Short Term Procedures		
1	Injection Atropine Sulphate	0.6mg /ml	As per requirement	Available
2	Injection Diazepam	5mg Injection 5mg/ ml	As per requirement	Available
3	any other medication as decided by the concerned anesthetist		As per requirement	Available
D.		(See sub-clause (ii) 12.(b) of sub-regulation 12 of Schedule- II of regulation 5 and regulation 9) Emergency Drugs		
Sr.no	Name of the drug	Strength	Minimum quantity	Available
1.	Inj. Adrenaline	As per I.P	Minimum 10 Ampules	Available
2.	Inj. Atropine	As per I.P	Minimum 10 Ampules	Available
3.	Inj. Calcium Carbonate	As per I.P	Minimum 10 Ampules	Available
4.	Inj. Dopamine	As per I.P	Minimum 10 Ampules	Available
5.	Inj. Dobutamine	As per I.P	Minimum 10 Ampules	Available
6.	Inj. Nitro-glycerine	As per I.P	Minimum 10 Ampules	Available
7.	Inj. Sodium Bicarbonate	As per I.P	Minimum 10 Ampules	Available
8.	Inj. Hydrocortisone	As per I.P	Minimum 10 Ampules	Available
9.	Inhaler Beclomethasone(250micro/dose	As per I.P	Minimum 10 Ampules	Available
10.	Inhaler Salbutamol(200micrograms)	As per I.P	Minimum 10 Ampules	Available
11.	Inj. Frusemide	As per I.P	Minimum 10 Ampules	Available
12.	Inj. Diazepam/Midazolam	As per I.P	Minimum 10 Ampules	Available

Inspectors/Visitor
signature: (1) _____

(2) _____

(3) _____

32.	X-ray viewer – one per ward	1 per ward	1 per ward	1 per ward	Available
1.14.	Bed and Out Patient Department strength mentioned in table below:				
Sr. No	Intake capacity per year	Minimum number of beds in IPD	Minimum per day average No. of patient in OPD during last one calendar year (300 days)	Available	
	No. of PG seats sanctioned and 1 bed is earmarked	0			
	Upto 60 students	30	180	NA	
	61-100 students	50	300	300.12	
1.15.	Hospital pharmacy with well furnished dispensaries			Required	Available
	Staff:-		Pharmacist	01	01
			Dispenser	02	02
1.16.	Emergency unit: shall be managed under supervision of general physician (Schedule II)- Emergency Equipment and drugs are mentioned below in table. (See sub-clause 12.(a) of sub-regulation 12 of Schedule- II of regulation 5 and regulation 9)				
	Emergency Equipments				
	Name of the equipment	For 30 bed	31 to 50 bed	51 to 100 bed	Available
	Emergency equipment box For first aid and Basic Life Support Skill	Minimum 1	Minimum 1	Minimum 1	Available
	Crash- Card trolley: 1	Minimum 1	Minimum 1	Minimum 1	Available
	Portable defibrillator: 1	Optional	Optional	Minimum 1	NA
	Disposable syringes	As needed	As needed	As needed	Available
	Ambu Bag: 1	Minimum 1	Minimum 1	Minimum 1	Available
	Laryngoscope with cell	Minimum 1	Minimum 1	Minimum 1	Available
	Scaled battery cell	Minimum 1	Minimum 1	Minimum 1	Available
	Endotracheal tubes	As needed	As needed	As needed	Available
	Monitor	As needed	As needed	As needed	Available
	(See sub-clause (i) 12.(b) of sub-regulation 12 of Schedule- II of regulation 5 and regulation 9) Anesthetic Drugs				
Sr.no	Name of the drug	Strength	Minimum quantity	Available	
A.	General Anesthesia (to be given only by a qualified allopathy anaesthetist)				
1.	Ether.	--	As per requirement	} Available As per Requirement	
2.	Halothane	--	As per requirement		
3.	Isoflurane*	--	As per requirement		
4.	Ketamine Hydrochloride Injection	10mg /ml, 50 mg /ml	As per requirement		
5.	Nitrous Oxide	Medical grade	As per requirement		
6.	Oxygen	Medical grade	As per requirement		
7.	Injection Thiopentone Sodium	0.5g, 1 g powder	As per requirement		

7.	Biomedical waste colour coded bins	One set each per floor	One set each per floor	One set each per floor	Available
8.	Cheatele forceps assorted sizes	8	16	25	16
9.	Clock per ward	1 per ward	1 per ward	1 per ward	Available
10.	Containers for kitchen	As required	As required	As required	Available
11.	Dressing trolley-1per floor/ ward depending on layout	1 per ward	1 per ward	1 per ward	Available
12.	Dust bins in each ward And consultation room	1 per ward	1 per ward	1 per ward	Available
13.	Emergency Resuscitation kit	1 per floor	1 per floor	1 per floor	Available
14.	Enema Set	As required	As required	As required	Available
15.	Fridge	As required	As required	As required	Available
16.	Heavy duty Torch light -1per ward	1 per ward	1 per ward	1 per ward	Available
17.	Hot Water Bags 2 Per ward	2 per ward	2 per ward	2 per ward	Available
18.	I V Stands - 2 per 10beds	2 per 10 beds	2 per 10 beds	2 per 10 beds	Available
19.	Infra-Red lamp	5	10	10	10
20.	Instrument tray- minimum 1 per ward	minimum 1 per ward	minimum 1 per ward	minimum 1 per ward	Available
21.	Instrument trolley - 1 per ward	minimum 1 per ward	minimum 1 per ward	minimum 1 per ward	Available
22.	Intercom System	As required	As required	As required	
23.	Kidney Trays-1 per 5 beds	1 per 5 beds	1 per 5beds	1 per 5 beds	Available
24.	Medicine trolley	minimum 1 per ward	minimum 1 per ward	minimum 1 per ward	Available
25.	Needle cutter - 3 Per ward	3 per ward	3 per ward	3 per ward	12
26.	Non mercury Thermometer clinical - 1perward	1 per ward	1 per ward	1 per ward	Available
27.	O2cylinderwithspanner - 1perward	1 per ward	1 per ward	1 per ward	Available
28.	Patients Examination table- 1 per ward/ floorAs per the profile of patients & layout of facility	1 per ward	1 per ward	1 per ward	Available
29.	Sphygmomanometers Stand Type I & Portable (aneroid or Digital) Type I -1per ward	1 per ward	1 per ward	1 per ward	Available
30.	Stretcher/Patient trolley - 1per ward	1 per ward	1 per ward	1 per ward	Available
31.	Weighing Machine - 1per ward	1 per ward	1 per ward	1 per ward	Available

			beds		
37.	Patient call Bell System	1 per bed	1 per bed	1 per bed	Not required
38.	Patient locker	1 per bed	1 per bed	1 per bed	Available
39.	Patients examination table- 1 per ward or floor as per the profile of patients and layout of facility	- 1 per ward or floor as per the profile of patients and layout of facility	- 1 per ward or floor as per the profile of patients and layout of facility	- 1 per ward or floor as per the profile of patients and layout of facility	Available
40.	Patients side table	1 per bed	1 per bed	1 per bed	Available
41.	Pediatric cots with railings as per scope of services	as per scope of services	as per scope of services	as per scope of services	Available
42.	Steel or Wooden cupboard	16	20	25	Available
43.	Steel rack	10	20	40	Available
44.	Stool 1 Per bed	8	15	25	Available
45.	Stools revolving - 1 per ward	2 per ward	2 per ward	2 per ward	Available
46.	Stretcher or Patient trolley - 1 per ward	1 per ward	1 per ward	1 per ward	Available
47.	Urinal Male and Female	20	50	100	Available
48.	waiting chairs or benches for patients relatives	50% of the bed strengths	50% of the bed strengths	50% of the bed strengths	Available
49.	Weighing Machine	1 per ward	1 per ward	1 per ward	Available
50.	Wheel chair	2 per 50 beds	2 per 50 beds	2 per 50 beds	
51.	X-ray viewer	one per ward	one per ward	one per ward	Available

c.

Requirements for In-Patient Department (IPD) mentioned in table below

(See sub-clause 9.(c) of sub-regulation 9 of Schedule- II of regulation 5 and regulation 9) Equipments Requirements for In-Patient Department (IPD) (en circle sanctioned bed strength)

Sr. No	Name of the Equipment	For 30 Beds	31 to 50 beds	51 to 100	Available
1.	Ambu bags	6	6	6	06
2.	Arm Board Adult	12	24	24	24
3.	Autoclave Drums	6	9	12	09
4.	Back rest	4	8	20	08
5.	Bain marie trolley stainless steel 1 per floor	2	4	8	04
6.	Bed pans, 1 per 5 patients	6	10	20	10

Inspectors/Visitor

signature: (1) _____

(2) _____

(3) _____

			between the beds		
8.	Bucket Plastic	12	24	24	24
9.	Ceiling Fans	As per requirement	As per requirement	As per requirement	Adequately Available
10.	Clock 1 per ward	1 per ward	1 per ward	1 per ward	Available
11.	Containers for kitchen	As needed	As needed	As needed	Available
12.	Doctor's chair for OP and ward,	As needed	As needed	As needed	Available
13.	Doctor's or Office table	3	10	20	10
14.	Dressing trolley-1 per floor/ ward depending on layout	4	8	10	08
15.	Dust bins in each ward and consultation room	6	12	15	12
16.	Duty table for nurses	8	20	30	20
17.	Emergency resuscitation kit	1 per floor	1 per floor	1 per floor	Available
18.	Enema Set	4	4	8	04
19.	Fire extinguisher -	ABC 1 per ward or floor based on layout	ABC 1 per ward or floor based on layout	ABC 1 per ward or floor based on layout	Available
20.	Foot stools	16	25	25	25
21.	Fridge	1 Per Area or Ward	1 Per Area or Ward	1 Per Area or Ward	Available
22.	Heavy duty Torch light	1 per ward	1 per ward	1 per ward	Available
23.	Hospital Cots	100	300	500	Not required
24.	Hospital Cots Pediatric	10	30	50	Available
25.	Hot Water Bags 2 per ward	2 per ward	2 per ward	2 per ward	Available
26.	Ice bags	2 per ward	2 per ward	2 per ward	Available
27.	Hot Water geyser	2 per ward	2 per ward	2 per ward	Available
28.	I V Stands - 2 per 10 beds	20	50	100	Available
29.	Intercom System	2 per ward	2 per ward	2 per ward	Available
30.	Kidney Trays 1 per 5 beds	40	50	50	Available
31.	Kitchen utensils,	Adequate	Adequate	Adequate	Available
32.	Massage table of 7ft. x 2.5ft (wood or fiber) if service is provided	One per procedure room	One per Procedure room	One per procedure room	Available
33.	Medicine trolley	1 per ward	1 per ward	1 per ward	Available
34.	Office chairs	8	20	20	Available
35.	Office Table	6	10	10	Available
36.	patient Beds with side rails	20% of total beds	20% of total	20% of total beds	Available

1.11.	Medical record management and Disposal:	Available	Verified		
	Digitalized Medical records atleast for past ten years	Available			
	Medical records in Hard copy-for IPD case sheets for 5 years	Available			
	For OPD registers and duplicate record if any (for 5 years)	Available			
	Medico legal registers and case sheets-10 years or till disposal of ongoing cases.	Available			
1.12.	MoU with nearby multispeciality hospital of Modern Medicine for following facilities				
	Operation theatre, labour room, intensive care unit, and other required facilities for emergency cases.	Available			
	Radiological (CT Scan, MRI, USG) and special lab investigation.	Available			
1.13.	Indoor Patient Department:	Required	Available		
a.	Wards and rooms for inpatient department				
	General Medicine	50% (Acute 10% and Chronic 40%)	Available		
	Surgery	20%	Available		
	Obstetrics & Gynecology	20%	Available		
	Paediatrics	10%	Available		
	Toilets and bathrooms (separate for male & female)		Separate for male & female		
	Doctors duty room		Available		
	Nursing stations or duty room for nurses		Available		
	Pharmacy with essentials medicines		Available		
	Record room		Available		
b.	Furniture/Fixture Requirements for IPD mentioned in table below: -				
(See sub-clause 9.(b) of sub-regulation 9 of Schedule- II of regulation 5 and regulation 9)					
Furniture/Fixture Requirements for IPD					
Sr. No	Name of the Equipment	For 30 Beds	31 to 50 beds	51 to 100	Available
1.	Iron beds(simple, surgical & pediatrics)	30	50	100	50
2.	Adequate wall or steel Cupboards	4	8	15	08
3.	Arm Board Adult	12	24	24	24
4.	Backrest	4	8	20	08
5.	Bain marie trolley stainless steel 1 per floor	1 per floor	1 per floor	1 per floor	01
6.	Bed side cabinets	1per 5 patients	1per 5 patients	1per 5 patients	
7.	Bedside Screen	1 per ward or full length curtains between the beds	1 per ward or full length curtains	1 per ward or full length curtains between the beds	04

x.	Essential diagnostic tools required for examination of patients as per the scope of services offered by the hospital.	As per requirement	As per requirement	As per requirement	Available A Adequate
xi.	Light source which gives light colour and temperature similar to solar light, Light intensity of atleast 500 lux at the point of examination	As per requirement	As per requirement As	per requirement	Available A Adequate as per Norms
xii.	computers	1 per consultation room	1 per consultation room	1 per consultation room	1 Available
xiii.	Telephone equipment	As per requirement	As per requirement	As per requirement	Available
xiv.	Airconditioning	As per requirement	As per requirement	As per requirement	Not required
xv.	Adequate lockable storage space	As per requirement	As per requirement	As per requirement	Available
xvi.	Foot stools	1 per consultation room	1 per consultation room	1 per consultation room	1 Available
1.8.	Peripheral OPD				
Sr. No	Particulars	Available No.			
i.	Maximum of 10 peripheral OPDs may be established in teaching hospitals	10			
ii.	Registers-information Space for Post Graduate students, discussion rooms, Post Graduate Teaching faculty room and Departmental Library -90 sq. mtr.should be maintain on daily central OPD and No. of referrals from Peripheral OPDs	NA			
iii.	Case records shall be clubbed with records of OPDs in collegiate hospitals.	Yes, clubbed with Central OPD			
1.9.	Space Requirement: Hospital shall be suitably spacious to accommodate to OPD & IPD in addition to following namely:-				
	Reception, patients, waiting area, dispensing room, clinical laboratory, radiology section, medical record room, operation theatre, labour room, store room, separate wards for male & female, duty room for doctors, nurses, other staff and clinical teaching room	Available & Adequate			
1.10.	Record Maintenance: computerized central registration system for maintaining records of OPD & IPD (Department wise)	Available & Adequate			

2. REQUIREMENT OF HOMOEOPATHIC COLLEGIATE HOSPITAL
(See sub regulation (a) and (b) of regulation 5, sub-regulation (a) of regulation 9)

3.	General				
1.1.	OPD: Patient waiting Area, consultation room or examination room, first aid kit			Yes / No	
1.2.	Indoor wards			Yes / No	
1.3.	Operation Theatre			Yes / No	
1.4.	Laboratories			Yes / No	
1.5.	Registration certificate from Pollution control board			Yes / No	
1.6.	Clearance permission from concerned state or Union Territory or local authority to establish or run the hospital.			Yes / No	
1.7.	OPD Area: Patient waiting Area, consultation room or examination room, first aid kit (See sub-clause 4.(a) of sub-regulation 4 of Schedule- II of regulation 5 and regulation 9) Furniture/Fixture/Equipments Requirements for OPD				
Sr. No.	Name of the Equipment	For 30 beds	31 to 50 beds	51 to 100 beds	Available
i.	Room with well-lighted and ventilated and equipped with a chair and a table for doctor	1 per consultation room	1 per consultation room	1 per consultation room	Available
ii.	X-ray viewer	1 per consultation room	1 per consultation room	1 per consultation room	Available
iii.	Two chairs for patients and attendants	1 set per consultation room	1 per consultation room	1 set per consultation room	Available
iv.	An examination table of 6 ft. X 2.5ft. With privacy screen	1 per consultation room	1 per consultation room	1 per consultation room	Available
v.	Blood pressure apparatus	1 per consultation room	1 per consultation room	1 per consultation room	Available
vi.	Stethoscope	1 per consultation room	1 per consultation room	1 per consultation room	Available
vii.	Torch	1 per consultation room	1 per consultation room	1 per consultation room	Available
viii.	Thermometer	1 per consultation room	1 per consultation room	1 per consultation room	Available
ix.	Weighing machine.	1 per consultation room	1 per consultation room	1 per consultation room	Available